

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 920 SILICONE ROOF SEALANT IS A SOLVENT-FREE SEALANT OFFERING EXCELLENT UV RESISTANCE AND WEATHERING CHARACTERISTICS WITH NO HARDENING, CHALKING, CRAZING, CRACKING OR REVERTING. IT ALSO OFFERS EXCELLENT ADHESION TO A WIDE VARIETY OF BUILDING MATERIALS. THIS ONE-COMPONENT, MOISTURE-CURING, SILICONE SEALANT IS USED ON EXISTING SPRAY POLYURETHANE FOAM, SMOOTH BUILT-UP, SMOOTH MODIFIED BITUMEN, GRANULATED MODIFIED BITUMEN, AGED SINGLE PLY MEMBRANE ROOFS, AND METAL ROOF SEAMS, FLASHINGS, FASTENERS, DRAINS AND OTHER VARIOUS REPAIR AREAS. PRO-GRADE® 920 SILICONE ROOF SEALANT IS ALSO USED IN NON-STRUCTURAL GLAZING, AS A WEATHER SEAL, FOR VERTICAL AND HORIZONTAL CRACK REPAIRS, VERTICAL AND HORIZONTAL 2-POINT ADHESION ON CONTROL JOINTS, AND CAN ALSO BE USED IN CONCRETE RESTORATION, STUCCO REPAIRS/RESTORATION, EIFS INSTALLATION AND RESTORATION. IT IS FUNGUS AND MILDEW RESISTANT.

Section 1: Summary

CONTENT INVENTORY

<p>Threshold per material</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Per OSHA MSDS <input type="radio"/> Other 	<p>Residuals and impurities considered in 1 of 1 materials</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> see Section 2: Material Notes <input type="radio"/> see Section 5: General Notes 	<p>Based on the selected Content Inventory Threshold:</p> <p>Characterized..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are the Percent Weight and Role provided for all substances?</p> <p>Screened..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are all substances screened using Priority Hazard Lists with results disclosed?</p> <p>Identified..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are all substances disclosed by Name (Specific or Generic) and Identifier?</p>
--	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

92 SILICONE ROOF SEALANT [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK POLYDIMETHYL SILOXANE LT-P1 | PBT 2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE LT-UNK TITANIUM DIOXIDE LT-1 | CAN CARBON BLACK LT-1 | CAN]

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 29, 2017	EXPIRY DATE*: January 29, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 29, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

92 SILICONE ROOF SEALANT %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

%: 30.0000 - 40.0000

GS: BM-2

RC: None

NANO: NO

ROLE: Polymer

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

NEPHELINE SYENITE

ID: 37244-96-5

%: 30.0000 - 40.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Filler/film strengthener

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

POLYDIMETHYL SILOXANE

ID: 9016-00-6

%: 20.0000 - 30.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Plasticizer

HAZARDS:

PBT

EC - CEPA DSL

Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES:

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI)

ID: 22984-54-9

%: 3.0000 - 7.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Catalyst

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:**FUMED SILICA, CRYSTALLINE-FREE**

ID: 112945-52-5

%: 1.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Thixotrope

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:**TITANIUM DIOXIDE**

ID: 13463-67-7

%: 0.0000 - 7.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Not available in a respirable form.

CARBON BLACK

ID: 1333-86-4

%: 0.0000 - 3.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
 ADDRESS: 999 N. Sepulveda Blvd.
 Suite 800
 El Segundo, CA 90245
 USA
 WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
 TITLE: Director, Regulatory Compliance Systems
 PHONE: 484-557-1247
 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

- | | | |
|---------------------------------------|--|--|
| AQU Aquatic toxicity | GLO Global warming | PHY Physical Hazard (reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive toxicity |
| DEV Developmental toxicity | MUL Multiple hazards | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | OZO Ozone depletion | LAN Land Toxicity |
| GEN Gene mutation | PBT Persistent Bioaccumulative Toxic | NF Not found on Priority Hazard Lists |

GreenScreen (GS)

- | | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible Benchmark 1 |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator Likely Benchmark 1 |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | UNK Unknown (no data on List Translator Lists) |
| BM-U Benchmark Unspecified (insufficient data to benchmark) | |

Recycled Types

- PreC** Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

- Nano** Composed of nanoscale particles or nanotechnology

Declaration Level

- Self-declared** Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.